INDEX

1962 Technical Papers and Committee Reports

The 1962 *Proceedings* Index is a combined author-subject index with authors' names appearing in boldface type.

KEY TO ABBREVIATIONS USED IN INDEX

STP = Special Technical Publication.
MR&S = *Materials Research & Standards.*
Comp. = Compilation of ASTM Standards.
Names in parentheses = authors of papers.

* = published as separate publication.

A

Absorption, fine lightweight aggregate, determining (Helms and Bowman), 1041.
Absorption spectroscopy. Report of Committee E-13, 567.
Accuracy, quality of observations (discussion), *MR&S*, March, 186.
Acoustical materials. Report of Committee C-20, 370.
Adam, L. H., and Dougherty, M.: Atmospheric exposure of aluminum sand casting G10A-T4 (Appendix III, Report of Committee B-7), 265.
Adhesion test, of tire cord to rubber (Moult and Martin), *MR&S*, Oct., 813.
Adhesives
  modulus of rigidity of adhesives in a timber joint (Krueger), *MR&S*, June, 479.
  Report of Committee D-14, 454; specification for, 458.
Aerospace
  alloy electroforming for high-temperature aerospace applications (Browning and Turns), *STP 318*.
  electroforming, aviation and aerospace applications at Bart Manufacturing Corp. (Carr and Buschow), *STP 318*.
  electroforming: current and future requirements of our aerospace industry (Smith), *STP 318*.
  electroforming hardware for aerospace vehicles (Ladd and Allie), *STP 318*.
Aggregates
  determining absorption of fine lightweight (Helms and Bowman), 1041.
  evaluating geometric characteristics of coarse particles (Huang), 1223.
  Report of Committee C-9, 310.
Aging
  behavior of wrought nickel-tin bronze, effect of phosphorus (Badia), 665.
  index of bituminous materials, test for, D-8 *Comp.*, 547.
  influence of, and cold rolling on sharp-notch properties of beta titanium sheet (Repko and Brown, Jr.), 869, (discussion), 878.
Alesch, C. W., (discussion), 860.
Allie, D. L., *see* Ladd, J. C.
Aluminum
  bearing strength (Stickley and Moore), *MR&S*, Sept., 747.
  designations for codification of alloys (Appendix II), Report of Committee B-7, 263.
  effect of surface finishing on development of θ' phase in aluminium- 4 per cent copper alloy (Takahashi and Kosuge), *STP 317*.
  effects of stretching on fatigue strength of 2024-T4 aluminum alloy (Lyst), *MR&S*, Sept., 751.
  fatigue strengths of recrystallized and unrecrystallized heat-treated alloys (Kaufman, et al), 742.
  mechanical properties of titanium and aluminum alloys at cryogenic temperatures (Hickey, Jr.), 765, (discussion), 777.
  notch-yield ratio to evaluate notch sensitivity of sheet (Kaufman and Johnson), 778, (discussion), 791.
  reactor structural materials: aluminum and titanium (Anderson, et al), *STP 314*.

Aluminum (*continued*)
Report of Committee B-7, 249, 253.
sand castings, atmospheric exposure (Adam and Dougherty), (Appendix III, Report of Committee B-7), 265.
stress analysis in alloys (Eggebraaten and Eisner), *MR&S*, Nov., 907.
weight and analysis of coating layers on hot-dipped aluminum-coated steel (Ikenberry), *MR&S*, March, 177.
Aluminum foil, fatigue gages (Fricke, Jr.), *MR&S*, April, 268.
Analog, model for mechanical properties of metals (Stulen), *MR&S*, Feb., 102.
Anders, F. J., Jr., (discussion), 651.
Anderson, W. K., Beck, C. J., Kephart, A. R., and Theilacker, J. S.: Reactor structural materials, *STP 314*.
Ansell, G. S., (discussion), 651.
Antifreezes, engine. Report of Committee D-15, 461.
Apert, C. E., *see* Vialatte, M. M.
API Service, engine test sequences for evaluating automotive lubricants for API Service MS, *STP 315*.
Appearance. Report of Committee E-12, 565.
Aromatic hydrocarbons. Report of Committee D-16, 463.
Asbestos. Report of Committee D-13, 442.
Recommendations affecting standards, 445.
Asbestos-cement pipe
chemical resistance (Lerch), *MR&S*, Sept., 745.
sulfate resistance (Manson and Blair), *MR&S*, Oct., 828.
Asbestos-cement products. Report of Committee C-17, 365.
Asphalt
durability of roofing asphalts (Greenfield and Wright), *MR&S*, Sept., 738.
effect of temperature and humidity on oxidation (Campbell, et al), *MR&S*, Dec., 988.
exposure tests (Oliensis), 1264.
ASTM
Annual Meeting, Sixty-fifth, summary of, 1.
Board of Directors Annual Report, highlights, 63; technical activities, 64; division of materials sciences, 67; national and other meetings, 69; publications, 70; district and related activities, 71; membership, 72; honors, awards, and lectures, 76; fellowships and grants-in-aid, 77; finances, 78; administrative matters, 79; long-range planning, 84; cooperative activities, 85; amendments to by-laws (Appendix I), 87; report of auditors (Appendix II), 110; report on standards (Appendix III), 123; report on research, (Appendix IV), 129; report on papers and publications (Appendix V), 131; report on district activities (Appendix VI), 136; report on simulated service testing (Appendix VII), 138; report on education in materials (Appendix VIII), 139.
Committee Week, summary of, 58.
Pacific Area National Meeting, Fourth, summary of, 39.
Spring Meeting, *see* Committee Week.
Why ASTM? (president's address) (Clair), *MR&S*, Aug., 661.
Atmospheric analysis. Report of Committee D-22, 492.
Atmospheric sampling. Report of Committee D-22, 492.
Ault, R. T., (discussion), 861.
Aviation fuels
cleanliness of, by visual rating, D-2 *Comp.*, Vol. I, 1238.
determination of solid point of turbine fuels, D-2 *Comp.*, Vol. I, 1265.
particulate matter in aviation turbine fuels, test for, D-2 *Comp.*, Vol. I, 1240.
Axon, E. O.: Estimating original mix composition of hardened concrete, 1068.

B

Babilon, C. F., *see* Lyst, J. O.
Badia, F. A.: Effect of phosphorus on aging behavior of wrought nickel-tin bronze, 665.
Baker, M. D., (discussions), *STP 321*.
Baker, R. A.: Gas chromatographic analysis of aqueous solutions, *MR&S*, Dec., 983.
Baker, R. F., (discussion), 1263.
Baldwin, W. M., Jr., *see* Whiteman, M. B.
Balmer, Glenn, (discussion), *MR&S*, March, 179.
Banerjee, B. R.:
Classified bibliography on electron probe X-ray microanalysis, *STP 317*.
see also Capenos, J. M., et al.
Banerjee, B. R., Capenos, J. M., and Hauser, J. J.: Nitride morphology in 12 per cent chromium steels, *STP 317*.
Barker, L. B., *see* Goldhoff, R. M.
Bart, S. G.: Historical reflections on electroforming, *STP 318*.
Basic oxygen process, steelmaking, *MR&S*, March, 206.
Beall, L. G., Jr., *see* Mittenbergs, A. A.
Beals, T. F., and Bigelow, W. C.: Technique for removing plastic backing films in preparation of electron microscope specimens, *STP 317*.
Bearing strength, aluminum and magnesium alloys (Stickley and Moore), *MR&S*, Sept., 747.
Beattie, H. J., Jr.: Multiple reflection phenomena in electron diffraction, *STP 317*.
Beck, C. J., *see* Anderson, W. K., et al.
Becker, H. H., (discussion), *STP 319*.
Beckmann, L., *see* Schulze, K.-H.
Ben, Manuel, (discussion), *STP 318*.
Bend test, properties of 43XX-vanadium modified and 5 per cent chromium sheet steels (Klier, et al), *MR&S*, Jan., 32.
Bennett, J. A., *see* Holshouser, W. L., and Mittenbergs, A. A.
Berch, Julian, *see* Schwartz, Anthony M., et al.
Beryllium, tensile properties from room temperature to 1600 F (Salmen and Gobble), 653.

Bigelow, W. C.:
Development of electron microscopic methods for study of metals, *STP 317*.
see also Beals, T. F.
see also Madden, G. I., et al.
Bituminous materials, aging index of, test for, D-8 *Comp.*, 547.
Bituminous mixtures
Report of Committee D-4, 399.
Report of Committee D-8, 415.
Blair, L. R., *see* Manson, P. W.
Blanck, A. R., and Holman, B. T.: Dielectric breakdown of miniature specimens, *MR&S*, Feb., 109.
Bletzacker, Richard W.: Rheology applied to portland-cement concrete, 996, (discussion), 1006.
Bloem, D. L., (discussion), 991.
Blucher, Joseph T., and Grant, Nicholas J.: Recrystallization, tensile, and stress rupture properties of nickel-copper alloys, 593.
Bluestone, Edwin, (discussion), *STP 318*.
Bluhm, Joseph I.:
Note on fatigue damage, *MR&S*, Feb., 122.
Shear lip and fracture toughness transition temperature for bimodal fracture, 914.
Blye, E. N., *see* Wakeman, C. M., et al.
Bobrowsky, Alfred, (discussion), 906.
Bohnenberger, O. G., (discussion), *STP 318*.
Bomberger, H. B., (discussion), 878.
Bommerscheim, C. H., *see* Savage, F. K.
Boras, George, *see* Klier, E. P., et al.
Bottomley, Frank R.: Practical methods in use of masters, mandrels, and matrices, *STP 318*.
Bowman, A. L., *see* Helms, S. B.
Bowman, P. B., *see* Campbell, P. G., et al.
Boyle, C. J., Curran, R. M., DeForest, D. R., and Newhouse, D. L.: Development of large turbine and generator rotors, 1156.
Boyle, R. W.: Determining crack growth in notched sheet specimens, *MR&S*, Aug., 646.
Bradley, C. B., *see* Pelanne, C. M.
Bradley, R. C., (discussion), *STP 318*.
Brass, *see* Copper and copper alloys.
Braune, R., *see* Brock, G.
Brazing, attaching electrical contacts (Kehoe), *MR&S*, April, 288.
Brick, refractory. Report of Committee C-8, 306.
Brittle materials, theta specimen for determining tensile strength (Durelli, et al), *MR&S*, Feb., 114.
Brock, B. W., and Braune, R.: A simple direct-stress machine for cumulative damage studies, *MR&S*, May, 401.
Bronze
effect of phosphorus on aging behavior (Badia), 665.
microstructure of bronze sinterings (Lowe and Biehl), *STP 323*.
see also Copper and copper alloys.
Brown, W. F., Jr.:
(discussion), 777.
see also Espey, G. B., et al.
see also Repko, A. J.
Browning, Myron E., and Turns, E. W.: Alloy electroforming for high-temperature aerospace applications, *STP 318*.
Brunswic, C. R., (discussion), 1087.
Bubsey, R. T., *see* Espey, G. B., et al.
Building constructions. Report of Committee E-6, 558.
Building materials, radon emanation from carbonate rocks (Gabrysh, et al), *MR&S*, April, 265.
Building stones, natural
problems in specifications for (Currier), *MR&S*, April, 292.
Report of Committee C-18, 367.
Bunting, J. T., *see* Milz, W. C.
Burmeister, R. A., and Dodd, R. A.: Effect of electrodeposited metals on fatigue life, 675, (discussion), 681.
Burns, Robert: Sweet bird of interdisciplinarianism, *MR&S*, Feb., 127.
Burrill, E. A.: Scientific application of particle accelerators to nondestructive testing, *MR&S*, Jan., 9.
Burst test, service tests of steels for missile motor cases (Manning, et al), *MR&S*, May, 392; June, 469.
Buschow, Adolph G.:
(discussion), STP 318.
see also Carr, D. S.
Byrne, F. P., and Guardipee, K. W.: Stability of chlorinated insulating liquids, *MR&S*, Oct., 825.

C

Cadmium. Report of Committee B-2, 207.
Caine, K. E., *see* Manning, R. D., et al.
Calorimeter, adiabatic, for concrete (Pirtz), *MR&S*, Jan., 22.
Camp, E. K., (discussion), *STP 319*.
Campbell, P. G., Wright, J. R., and Bowman, P. B.: Effect of temperature and humidity on oxidation of air-blown asphalts, *MR&S*, Dec., 988.
Capenos, J. M., *see* Banerjee, B. R., et al.
Capenos, J. M., Hauser, J. J., and Banerjee, B. R.: Transmission electron microscopy of type 410 stainless steels, *STP 317*.
Carbon black. Report of Committee D-24, 496.
Cardew, K. H. F., *see* Giles, C. G., et al.
Carlson, A. E., (discussion), *STP 319*.
Carlson, R. L., *see* Fisher, D. H., et al.
Carr, Dodd S., (discussion), *STP 318*.
Carr, Dodd S., and Buschow, Adolph G.: Electroforming for aviation and aerospace applications at Bart Manufacturing Corp., *STP 318*.
Carr, Frank, L., and Larson, Frank R.: Fracture surface configurations of AISI 4340 steel as affected by temperature and geometry, 1210.
Carroll, K. G., *see* Ohh, S.
Casein. Report of Committee D-25, 497.
Cast copper, *see* copper.
Cast iron. Report of Committee A-3, 164.
Cathodes. Report of Committee F-1, 584.

Cellulose and cellulose derivatives. Report of Committee D-23, 494.
Cement
Report of Committee C-1, 289.
solid-liquid reactions in portland cement pastes (Hansen), *MR&S*, June, 490.
Ceramics
glass, Report of Committee C-14, 356.
porcelain enamel, Report of Committee C-22, 371.
review of stress-strain-time-temperature behavior of (Kingery), *STP 325*.
specular gloss of glazed ceramic tile (Illing), *MR&S*, Feb., 117.
Chamblin, B. B., Jr., (discussion), *MR&S*, March, 186.
Charpy test
AISI 4340 steel (Larson and Nunes), 1192, (discussion), 1206.
base and weld deposits of stainless steels (DeSisto), 756.
comparison of Charpy keyhole and V-notch impact test values (Foley), *MR&S*, Nov., 917.
fracture surface configurations of AISI 4340 steel, (Carr and Larson), 1210.
Chemical analysis of metals. Report of Committee E-3, 547.
Chemicals, industrial. Report of Committee E-15, 570.
Childs, L. D., and Nussbaum, P. J.: Pressures at foundation soil interfaces under loaded concrete and soil-cement highway slabs, 1243, (discussion), 1263.
Chile, standardization in (Zeldis), *MR&S*, May, 416.
Chlorides, volatile, in butane-butene mixtures, D-2 *Comp.*, Vol. I, 1209.
Chlorinated insulating liquids, measuring stability (Byrne and Guardipee), *MR&S*, Oct., 825.
Chlorine content, cutting fluids, test for, D-2 *Comp.*, Vol. I, 1207.
Chromatography,
gas, analysis of aqueous solutions (Baker), *MR&S*, Dec., 983.
paper chromatographic method for analysis of sodium triphosphate, proposed, 437.
Chromium steel, bend-test properties of 43XX-vanadium modified and 5 per cent chromium sheet steels (Klier, et al), *MR&S*, Jan., 32.
Clair, M. N.: Why ASTM? (president's address), *MR&S*, Aug., 661.
Clay, pipe. Report of Committee C-4, 303.
Clendenning, T. G., and Durie, N. D.: Properties and use of fly ash from steam plant operating under variable load, 1019, (discussion), 1038.
Clouser, W. S.: Determining compression strength parallel to surface of wood composition boards, *MR&S*, Dec., 996.
Coal, mechanical sampling of, D-8 *Comp.*, 177.
Coal and coke. Report of Committee D-5, 403.
Coater, I. L., *see* Sanford, R. L.
Coatings
aluminum-coated iron or steel, Report of Committee A-5, 168.
effect of ductile skins on brittle substrates (Whiteman and Baldwin, Jr.), 610.
galvanized iron or steel, Report of Committee A-5, 168.
Cobalt. Report of Committee B-2, 207.
Cobalt alloys, reactor structural materials: nickel and cobalt alloys, (Anderson, et al), *STP 314*.
Coke. Report of Committee D-5, 403.
Cold rolling, influence of, and aging on sharp-notch properties of beta titanium sheet (Repko and Brown, Jr.), 869, (discussion), 878.
Colner, W. H.: Space—new environment for materials, *MR&S*, Aug., 656.
Columbium. Report of Committee B-2, 207.
Compression testing
apparatus for testing above 2000 F (Fisher, et al), *MR&S*, Jan., 26.
determining compression strength parallel to surface of wood composition board (Clouser), *MR&S*, Dec., 996.
Compressive strength, penetrometer study of in situ strength of clays (Kondner), *MR&S*, March, 193.
Concrete
comparison of types of strengths (Grieb and Werner), 972, (discussion), 991.
concepts in control of (discussion), *MR&S*, Feb., 100.
determining absorption of fine lightweight aggregate (Helms and Bowman), 1041.
estimating original mix composition of hardened (Axon), 1068.
glue for concrete repair (Wakeman, et al), *MR&S*, Feb., 93.
improved adiabatic calorimeter for (Pirtz), *MR&S*, Jan., 22.
pipe, Report of Committee C-13, 354.
pressures at foundation soil interfaces (Childs and Nussbaum), 1243, (discussion), 1263.
pumpability of mixtures (Gray), 964.
quality of freshly mixed (Lorman), 944, (discussion), 960.
Report of Committee C-9, 310.
rheology applied to portland-cement (Bletzacker), 996, (discussion), 1006.
statistical analysis of strength and durability of fly ash (Pasko and Larson), 1054.
strength of field-fabricated concrete test beams (Crary and Fryer), *MR&S*, May, 385.
tension test (discussion), *MR&S*, March, 179.
Construction, structural sandwich. Report of Committee C-19, 368.
Contacts, attaching electrical contacts (Kehoe), *MR&S*, April, 288.
Container board. Report of Committee D-6, 407.
Containers. Report of Committee D-10, 425.
Contamination. Report of Committee F-1, 584.
Conversion factors, conversion of weights and measures from British to metric system, F-1 *Comp.*, 375.
Cooling rate, effect on polyethylene density (Everett), *MR&S*, April, 278.
Copeland, R. E., (discussion), *MR&S*, March, 179.

Copper and copper alloys
oxide refractoriness in dispersion-strengthened copper and nickel alloys (Predecki and Grant), 639, (discussion), 650.
physical and mechanical properties of electroformed (Safranek), *STP 318*.
Report of Committee B-2, 207.
Report of Committee B-5, 236.
Recommendations affecting standards, 240.
Copper-base alloys
die castings, Report of Committee B-6, 247.
spectrochemical analysis by powder-d-c arc technique, suggested method for, 529.
Cordovi, M. A., and Johnson, C. R.: Materials for nuclear power reactors, *MR&S*, Dec., 1000.
Corliss, C. H., *see* Meggers, W. F., et al.
Corrosion
Advisory Committee on, 277.
atmospheric, of hardware (Appendix II), Report of Committee A-5, 176.
atmospheric, of wire (Appendix I), Report of Committee A-5, 171.
by engine antifreezes, Report of Committee D-15, 461.
of iron and steel, Report of Committee A-5, 168.
Report of Committee A-7, 189.
Report of Committee A-10, 199.
Report of Committee B-3, 212.
specimen for investigating stress-corrosion cracking of metals at elevated temperatures (Logan), *MR&S*, Feb., 98.
stainless steel in presence of concentrated nitric acid (Vialatte and Apert), *MR&S*, Feb., 111.
Cotton. Report of Committee D-13, 442. Recommendations affecting standards, 445.
Crack propagation
determining growth in notched sheet specimens (Boyle), *MR&S*, Aug., 646.
slow growth and rapid propagation (discussion), *MR&S*, July, 571.
slow, in high-strength materials (Steigerwald and Hanna), 885, (discussion), 905.
small fatigue cracks as fracture origins in tests of high-strength steel sheet (Srawley), 734.
see also Fracture.
Cracks, in sheet metals, technique for making (Yen and Pendleberry), *MR&S*, Nov., 913.
Crary, J. F., and Fryer, H. C.: Factors affecting strength of field-fabricated concrete test beams, *MR&S*, May, 385.
Creep
biaxial testing machine (Findley and Gjelsvik), 1103, (discussion), 1119.
creep and recovery of zirconium-tin-columbium alloy (Lubahn), *STP 325*.
in metals and plastics (Goldfein), *MR&S*, Nov., 902.
review of stress-strain-time-temperature behavior of ceramics (Kingery), *STP 325*.
rupture, steel weldments (Shepheard and Donachie), *MR&S*, April 275.
stress-strain-time relations for idealized materials (Lazan), *STP 325*.
stress-strain-time-temperature relations in metallic materials (Smith), *STP 325*.
stress-strain-time-temperature relationships for polymers (Smith), *STP 325*.
Croly, Paul B., (discussion), *STP 318*.
Curran, R. M., *see* Boyle, C. J., et al.
Currier, L. W.: Specifications for natural building stones, *MR&S*, April, 292.
Curve Fitting, ASTM manual on fitting straight lines, *STP 313*.
Cutting fluids, active chlorine content of, test for, D-2 *Comp.*, Vol. I, 1207.

D

David, H. T., *see* O'Flaherty, C. A., et al.
Davidson, Donald T., *see* Mateos, Manuel. *See also* O'Flaherty, C. A., et al.
Davidson, T. E., and Kendall, D. P.: Studying pressure vessel configurations under high pressures and loading rates, *MR&S*, July, 562.
Day, D. L., (discussion), 862.
Day, K. W. (discussion), *MR&S*, Feb., 101.
Decarbonization, effect of ductile skins on brittle substrates (Whiteman and Baldwin, Jr.), 610.
DeForest, D. R., *see* Boyle, C. J., et al.
DeSisto, Thomas S.: Low-temperature Charpy, true stress-strain, and notched tensile properties of base and weld deposits of AISI types 301, 310, 316, and 347 stainless steels, 756.
Detergents, *see* Soaps and detergents.
Die castings. Report of Committee B-6, 247.
Dielectric breakdown, of miniature specimens (Blanck and Holman), *MR&S*, Feb., 109.
Diffraction, X-ray, *see* X-ray diffraction.
Diggin, Myron B.: Modern electroforming solutions and their applications, *STP 318*.
Dispersion-strengthening, oxide refractoriness in copper and nickel alloys (Predecki and Grant), 639, (discussion), 650.
Distillation, interlaboratory study of two ASTM methods (Donlan), *MR&S*, Oct., 820.
Dodd, R. A., *see* Burmeister, R. A.
Dolby, George W., and Kofke, William A.: Role of base oils and additives in modern-day turbine oils, *STP 321*.
Dolch, W. L., (discussion), 1038.
Donachie, M. J., Jr., *see* Shepheard, R. G.
Donlan, T. R.: Interlaboratory study of two ASTM distillation methods, *MR&S*, Oct., 820.
Dorn, J. E.: Progress in understanding high-temperature creep, (Gillett Memorial Lecture)*
Dougherty, M., *see* Adam, L. H.
Douglass, R. W., and Jaffee, R. I.: Elevated-temperature properties of rhodium, iridium, and ruthenium, 627, (discussion), 638.
Drycleaning detergent, proposed specification for, 435.
Duckworth, W. H., (discussion), *STP 325*.
Ductility
elongation in sheet tension specimens (discussion), *MR&S*, Jan., 20.
exhaustion of extensional, determined by reversed bending of five steels (Rockey, et al), 1120, (discussion), 1134.
Duncan, C. L., (discussion), *STP 318*.

Durability, roofing asphalts (Greenfield and Wright), *MR&S*, Sept., 738.
Durie, N. D., *see* Clendenning, T. G.
DuRose, A. H., (discussion), *STP 318*.
Durrelli, A. J., Morse, S., and Parks, V.: Theta specimen for determining tensile strength of brittle materials, *MR&S*, Feb., 114.

E

Eberhard, W. S., *see* Nelson, R. C.
Eggebraaten, V. L., and Eisner, S.: Use of surface chemical reactions for stress analysis in aluminum alloys, *MR&S*, Nov., 907.
Eisner, S., *see* Eggebraaten, V. L.
Electrical conductors. Report of Committee B-1, 203.
Electrical contacts
  attaching (Kehoe), *MR&S*, April, 288.
  Report of Committee B-4, 232.
Electrical insulation
  Report of Committee D-9, 417.
  Report of Committee D-27, 500.
  see also Insulation.
Electrical resistance. Report of Committee B-4, 232.
Electrodeposited coatings. Report of Committee B-8, 272.
Electrodeposited metals, effect of on fatigue life (Burmeister and Dodd), 675, (discussion), 681.
Electroforming
  alloy, for high-temperature aerospace applications (Browning and Turns) (Discussion), *STP 318*.
  application of to manufacture of disk records, (Max) (Discussion), *STP 318*.
  current and future requirements of our aerospace industry (Smith) (Discussion), *STP 318*.
  for aviation and aerospace applications at Bart Manufacturing Corp. (Carr and Buschow) (Discussion), *STP 318*.
  hardware for aerospace vehicles (Ladd and Allie) (Discussion), *STP 318*.
  historical reflections on (Bart) (Discussion), *STP 318*.
  introduction to (Graham) (Discussion), *STP 318*.
  manufacture of typing wheels and other electroformed piece parts (Franks) (Discussion), *STP 318*.
  metalworking process with growing potential (Graham), *MR&S*, March, 208.
  modern solutions and their applications (Diggin) (Discussion), *STP 318*.
  physical and mechanical properties of electroformed copper (Safranek) (Discussion), *STP 318*.
  physical and mechanical properties of electroformed nickel at elevated and subzero temperatures (Sample and Knapp) (Discussion), *STP 318*.
  plastic molds for automotive industry (Ritzenthaler) (discussion), *STP 318*.
  practical methods in use of masters, mandrels, and matrices (Bottomley) (discussion), *STP 318*.
  replica epoxy molds (Schwenk) (discussion), *STP 318*.
  Report of Committee B-8, 273.
  supersonic pitot-static tubes (Savage and Bommerscheim) (discussion), *STP 318*.
  venturi-type nozzles for wind tunnels and other applications (Silverstone) (discussion), *STP 318*.
Electron diffraction, multiple reflection phenomena in (Beattie, Jr.), *STP 317*.
Electron microscopy
  development of methods for study of metals (Bigelow), *STP 317*.
  direct observations on structure of ultramicrotomed metals and alloys (Phillips), *STP 317*.
  direct transmission, of zirconium (Young, et al), *STP 317*.
  electron transmission microscopy of metals, *STP 317*.
  technique for removing plastic backing films in preparation of electron microscope specimens (Beals and Bigelow), *STP 317*.
  transmission, of type 410 stainless steels (Capenos, et al), *STP 317*.
Electron Probe
  classified bibliography on electron probe X-ray microanalysis (Banerjee), *STP 317*.
  diffusion measurements in iron-nickel with microanalyzer (Ohh and Carroll), *STP 317*.
  X-ray diffraction in microanalyzer (Heise), *STP 317*.
Electron tubes
  conversion of weights and measures from British to metric system, F-1 *Comp.*, 375.
  Report of Committee F-1, 584.
Elongation, in sheet tension specimens (discussion), *MR&S*, Jan., 20.
Emission spectroscopy. Report of Committee E-2, 525; copper-base alloys, 529; indium metal, 537.
Enamel, *see* Porcelain enamel.
Engine antifreezes. Report of Committee D-15, 461.
Engine Test, sequences for evaluating automotive lubricants for API Service MS, *STP 315*.
English, J. R., (discussion), *STP 321*.
Environmental testing
  methods of investigation, *STP 330*.
  space environment for materials (Colner), *MR&S*, Aug., 656.
Epoxy resin, glue for concrete repair (Wakeman, et al), *MR&S*, Feb., 93.
Epstein, Samuel, (discussion), 1134.
Equation of state, mechanical-chemical (Goldfein), *MR&S*, Nov., 902.
Erb, D. P., (discussion), *MR&S*, Jan., 31.
Erbin, E. F., (discussion), 862.
Espey, G. B., Bubsey, R. T., and Brown, W. F., Jr.: NASA sheet alloy screening program for Mach 3 transport skins, 837, (discussion), 857.
Everett, H. W.: Effect of cooling rate on polyethylene density, *MR&S*, April, 278.
Exposure, 35-mm photomicrography (Stumbo), *MR&S*, April, 282.

Exposure corrosion studies
aluminum, Report of Committee B-3, 216.
copper, Report of Committee B-3, 216.
lead, Report of Committee B-3, 216.
magnesium, Report of Committee B-3, 216.
molybdenum, Report of Committee B-3, 216.
nickel, Report of Committee B-3, 216.
tantalum, Report of Committee B-3, 216.
titanium, Report of Committee B-3, 216.
zinc, Report of Committee B-3, 216.
Exposure studies, atmospheric
Report of Advisory Committee on Corrosion, 277.
Report of Committee B-3, 214.
Eyring, H., *see* Gabrysh, A. F., et al.

F

Fahey, Norbert H.: Study of cylindrical impact specimens, 1089, (discussion), 1102.
Falef, A. E., *see* Schjelderup, H. C.
Fatigue
damage (Bluhm), *MR&S*, Feb., 122.
detecting cracks in notched specimens (Lyst and Babilon), *MR&S*, May, 485.
direct-stress machine for cumulative damage studies (Brock and Braune), *MR&S*, May, 401.
effect of edge preparation on fatigue life of flat-plate specimens (George and Mantle), *MR&S*, Dec., 1000.
effect of electrodeposited metals on life (Burmeister and Dodd), 675, (discussion), 681.
effects of random stresses (Schjelderup and Galef), *MR&S*, Oct., 836.
gages of aluminum foil (Fricke, Jr.), *MR&S*, April, 268.
gas evolution from metal surfaces during stressing (Holshouser and Bennett), 683, (discussion), 694.
low-cycle in torsion (Halford and Morrow), 695, (discussion), 708.
properties of steel rope wire (Kenyon), *MR&S*, July, 553.
Report of Committee E-9, 560.
small fatigue cracks as fracture origins in tests of high-strength steel sheet (Srawley), 734.
strength of pin-loaded lug joints (Mittenbergs and Beall, Jr.), 710, (discussion), 733.
strengths of recrystallized and unrecrystallized heat-treated aluminum alloys (Kaufman, et al), 742.
stretching 2024-T4 aluminum alloy (Lyst), *MR&S*, Sept., 751.
Weibull distribution function for fatigue life, *MR&S*, May, 405.
Findley, W. N., and Gjelsvik, A.: Biaxial testing machine for plasticity, creep, or relaxation under variable principal-stress ratios, 1103, (discussion), 1119.
Fire test. Report of Committee E-5, 556.
Fischer, George A.:
Solidification and soundness prediction for large steel ingots, 1137 (discussion), 1153. (discussion), 1119.
Fisher, D. H., Carlson, R. L., and Holden, F. C.: Apparatus for mechanical testing above 2000 F, *MR&S*, Jan., 26; (discussion), Jan., 31.
Flash-tension test for evaluating tungsten wire (Nelson and Eberhard) *MR&S*, June, 475.
Flexible barrier materials. Report of Committee F-2, 588.
Flexure
crosshead speed for strain rate in testing cantilever beams (Mark), *MR&S*, May, 402.
strength of field-fabricated concrete test beams (Crary and Fryer), *MR&S*, May, 385.
Flooring damage by heels (Thorburn), *MR&S*, Sept., 734; (discussion), 736.
Fly ash
properties and use of, from steam plant (Clendenning and Durie), 1019, (discussion), 1038.
Report of Subcommittee III-h of Committee C-9, 314.
statistical analysis of strength and durability of concrete (Pasko and Larson), 1054.
steam curing and X-ray studies of (Mateos and Davidson), 1008, (discussion), 1015.
Foley, F. B.: Comparison of Charpy keyhole and V-notch impact test values, *MR&S*, Nov., 917.
Foster, F. Gordon: Embrittlement of solder by gold from plated surfaces, *STP 319*.
Fracture
bend test properties of 43XX-vanadium modified and 5 per cent chromium sheet steels (Klier, et al), *MR&S*, Jan., 32.
crack growth in notched sheet specimens (Boyle) *MR&S*, Aug., 646.
making shallow cracks in sheet metals (Yen and Pendleberry), *MR&S*, Nov., 913.
propagation of cracks (discussion), *MR&S*, July, 571.
screening tests for high-strength alloys using sharply notched cylindrical specimens, *MR&S*, March, 196.
shear lip and fracture toughness transition temperature, geometry effect on (Bluhm), 914.
slow crack propagation in high-strength materials (Steigerwald and Hanna), 885, (discussion), 905.
small fatigue cracks as origins in tests of high-strength steel sheet (Srawley), 734.
surface configurations of AISI 4340 steel (Carr and Larson), 1210.
surfaces of maximum shear theory (Makky) *MR&S*, Aug., 655.
toughness of two high-strength sheet steels (Maynor, Jr., et al), 924, (discussion), 943.
see also Crack propagation.
Frankel, H. E.: (discussion), 694.
Franklin, Alan: Ultrapure materials, *MR&S*, March, 204.
Franks, K. W.: Manufacture of typing wheels and other electroformed piece parts, *STP 318*.
Fricke, W. G., Jr.: Fatigue gages of aluminum foil, *MR&S*, April, 268.
Friction, highway
decrease of skid-resisting properties of wet road surfaces at high speeds (Obertop), *STP 326*.

Friction, highway (*continued*)
development and performance of portable skid-resistance tester (Giles, et al), *STP 326*.
friction properties of pavements at different speeds (Schulze and Beckmann), *STP 326*.
measured by British portable tester and stopping-distance method (Mahone), *MR&S*, March, 187.
measurement of skid resistance (Kummer and Meyer), *STP 326*.
minimization of variables in equipment and techniques for performing skid trailer tests (Goodwin and Whitehurst), *STP 326*.
variation in highway slipperiness characteristics with location (Mahone), *STP 236*.
Fryer, H. C., *see* Crary, J. F.
Fuel oils, estimation of net heat of combustion, D-2, *Comp.*, Vol. 1, 1247.

G

Gabrysh, A. F., McKee, N. D., and Eyring, H.: Determination of radon emanation from carbonate rocks and its hazard in building materials, *MR&S*, April, 265.
Galvanic corrosion studies in ASTM. Report of Advisory Committee on Corrosion, 279.
Gamma ray, density measurement of sediment (Timblin, Jr.), *MR&S*, July, 566.
Gardner, F. S., (discussion), *STP 325*.
Garfield, Edward, (discussion), *STP 319*.
Garofalo, Frank, (discussion), *STP 325*.
Gas chromatography
analysis of isoprene, D-2 *Comp.*, Vol. I, 1231.
analysis of propylene concentrate, D-2 *Comp.*, Vol. 1, 1218.
carbon dioxide in high-purity ethylene, D-2 *Comp.*, Vol. 1, 1234.
ethylene, other hydrocarbons and hydrogen in high-purity ethylene, D-2 *Comp.*, Vol. I, 1227.
oxygen, nitrogen, and carbon monoxide, determination of, D-2 *Comp.*, Vol. I, 1221.
Report of Committee E-19, 582.
Gas evolution, from metal surfaces during fatigue stressing (Holshouser and Bennett), 683, (discussion), 694.
Gaseous fuels
Report of Committee D-3, 397.
residue in liquefied petroleum (LP) gases, D-2 *Comp.*, Vol. I, 1260.
Gasoline
lead antiknock compounds in, *MR&S*, June, 494.
Report of Committee D-2, 383.
Gavin, F. M., (discussion), *MR&S*, Sept., 736.
Gaynor, R. D., (discussion), *MR&S*, March, 179.
Geijer, Ernst: Strength of sintered iron powder. *MR&S*, Feb., 124.
Generator rotors, development of large turbine rotors (Boyle et al), 1156.
George, R. E., and Mantle, J. B.: Effect of edge preparation on fatigue life of flat-plate specimens, *MR&S*, Dec., 1000.
Giles, C. G., and Sabey, B. E., and Cardew, K. H. F.: Development and performance of portable skid-resistance tester, *STP 326*.
Gillett Memorial Lecture, Progress in understanding high-temperature creep (Dorn).*
Gjelsvik, A., *see* Findley, W. N.
Glass. Report of Committee C-14, 356.
Glassman, Nathan:
(discussion), *STP 321*.
see also King, H. F.
Gloss
specular, of glazed ceramic tile (Illing), *MR&S*, Feb., 117.
transparent plastic films (Knittel) *MR&S*, March, 180.
Gobble, L. P.: *see* Salmen, W. J.
Goetz, W. H., Introduction, *STP 326*.
Goetzel, C. G., (discussion), 650.
Gold, embrittlement of solder by gold from plated surfaces (Foster), *STP 319*.
Goldfein, S.: Theory for mechanical-chemical equation of state, *MR&S*, Nov., 902.
Goldhoff, R. M., and Barker, L. B.: Stress-relaxation of Cr-Mo-V steel heat treated to various notch sensitivities, 1176.
Goodwin, W. A., and Whitehurst, E. A.: Minimization of variables in equipment and techniques for performing skid trailer tests, *STP 326*.
Graham, A. Kenneth:
Electroforming—a metalworking process with growing potential, *MR&S*, March 298.
Introduction to electroforming, *STP 318*.
Grant, Nicholas J.:
see Blucher, Joseph T.
see Predecki, Pawel.
Gray, J. E.: Comparing pumpability of concrete mixtures, 964.
Greenfeld, S. H. and Wright, J. R.: Four methods for predicting durability of roofing asphalts, *MR&S*, Sept., 738.
Grewal, K. S., (discussion), 909.
Grieb, W. E., and Werner, George: Comparison of splitting tensile strength of concrete with flexural and compressive strengths, 972, (discussion), 991.
Grimsey, R. G., (discussion), *STP 321*.
Grimsey, R. G., and Whyte, R. B.: Experience with enhanced load-carrying type turbine oils in Royal Canadian Navy, *STP 321*.
Guardipee, K. W., *see* Byrne, F. P.
Gypsum
determination in calcium sulfate hemihydrate by differential thermal analysis (Kuntze), *MR&S*, Aug., 640.
Report of Committee C-11, 349.

H

H-test, method for adhesion of tire cord to rubber (Moult and Martin), *MR&S*, Oct., 813.
Hackworth, J. V., (discussion), 858.
Hafnium. Report of Committee B-2, 207.
Hahn, P. M.: Evaluation of spring-loaded thermocouple probes under transient temperatures, *MR&S*, May, 403.
Halford, G. R., and Morrow, JoDean: Low-cycle fatigue in torsion, 695, (discussion), 708.
Hall, A. M., *see* Ludwigson, D. C., and Roach, D. B.

Hall, D. A.:
Determining functional life of turbine oils, *STP 321.*
(discussion), *STP 321.*
Halogenated organic solvents, *see* Solvents.
Hamaker, J. C. Jr., (discussion), 906.
Handyside, J. R., (discussion), 906.
Hanna, G. L., *see* Steigerwald, E. A.
Hansen, W. C.: Solid-liquid reactions in portland cement pastes, *MR&S*, June, 490.
Hardness
establishing cemented carbide calibrating blocks (Roessing and Reen), 1081, (discussion), 1087.
Rockwell B–Brinell hardness conversion for stainless steel plate (Ludwigson, et al) *MR&S*, Aug., 651.
standard and microtests for international rubber hardness, (Stiehler and Roth), *MR&S*, May, 388.
Hardware, atmospheric corrosion tests (Appendix II), Report of Committee A-5, 176.
Hatch, A. J., (discussions), 862, 878.
Hauser, J. J., *see* Banerjee, B. R., et al, and Capenos, J. M., et al.
Heat-flow meter, thermal-conductivity apparatus (Pelanne and Bradley), *MR&S*, July, 549.
Heating, electrical. Report of Committee B-4, 232.
Heberlein, Max F. W.: Effect of impurities on some properties of lead-tin alloys, *STP 319.*
Heels, flooring damage (Thorburn), *MR&S*, Sept., 734; (discussion), 736.
Heiman, Samuel, (discussion), *STP 318.*
Heimerl, G. J., and Manning, C. R., Jr.: High-speed pneumatic tension testing machine, *MR&S*, April, 270.
Heise, B. H.: X-ray diffraction in electron probe microanalyzer, *STP 317.*
Helms, S. B., and Bowman, A. L.: Determining absorption of fine lightweight aggregate, 1041.
Hengstenberg, T. F., (discussion), *MR&S*, Jan., 31.
Henrikson, K. G., *see* Manley, L. W.
Herring, J. L., (discussion), 880.
Hickey, Charles F., Jr.: Mechanical properties of titanium and aluminum alloys at cryogenic temperatures, 765, (discussion), 777.
High-speed testing, pneumatic tension testing machine (Heimerl and Manning, Jr.), *MR&S*, April, 270.
High Temperature
alloy electroforming for high-temperature aerospace applications (Browning and Turns), *STP 318.*
apparatus for mechanical testing above 2000 F (Fisher et al), *MR&S*, Jan., 26.
elevated-temperature properties of rhodium, iridium, and ruthenium (Douglass and Jaffee), 627, (discussion), 638.
physical and mechanical properties of electroformed nickel at elevated and subzero temperatures (Sample and Knapp), *STP 318.*
specimen for investigating stress-corrosion cracking of metals at elevated temperatures (Logan), *MR&S, Feb.*, 98.
tensile properties of beryllium from room temperature to 1600 F (Salmen and Gobble), 653.
Highways
decrease of skid-resisting properties of wet road surfaces at high speeds (Obertop), *STP 326.*
development and performance of portable skid-resistance tester (Giles, et al), *STP 326.*
friction properties of pavements at different speeds (Schulze and Beckmann), *STP 326.*
measurement of skid resistance (Kummer and Meyer), *STP 326.*
minimization of variables in equipment and techniques for performing skid trailer tests (Goodwin and Whitehurst), *STP 326.*
pressures at foundation soil interfaces (Childs and Nussbaum), 1243, (discussion), 1263.
progress and problems (Whitton), *MR&S*, Oct., 838.
variation in highway slipperiness characteristics with location (Mahone), *STP 326.*
Holden, F. C.:
see Fisher, D. H., et al.
(discussion), 1102.
Holman, B. T., *see* Blanck, A. R.
Holshouser, W. L., and Bennett, J. A.: Gas evolution from metal surfaces during fatigue stressing, 683, (discussion), 694.
Hopkins, I. L., (discussion), *STP 325.*
Hot-dipped coatings, weight and analysis of coating layers on aluminum-coated steel (Ikenberry), *MR&S*, March, 177.
Huang, Eugene Y.: Evaluating geometric characteristics of coarse aggregate particles, 1223.
Huss, W. F., (discussion), *STP 321.*
Hydrocarbons
acetylene in high-purity ethylene (silver nitrate method), D-2, *Comp.*, Vol. I, 1224.
analysis of isoprene by gas chromatography, D-2 *Comp.*, Vol. I, 1231.
carbon dioxide in high-purity ethylene, D-2, *Comp.*, Vol. I, 1234.
carbon disulfide in benzene, determination of, D-16 *Comp.*, 208.
ethylene, other hydrocarbons and hydrogen in high-purity ethylene, D-2 *Comp.*, Vol. I, 1227.
industrial aromatic, Report of Committee D-16, 463.
oxygen, nitrogen, and carbon monoxide by gas chromatography, D-2 *Comp.*, Vol. I, 1221.
propylene concentrate by gas chromatography, analysis of, D-2 *Comp.*, Vol. I, 1218.
volatile chlorides in butane-butene mixtures, D-2 *Comp.*, Vol. I, 1209.
Hydrometers. Report of Committee E-1, 513.

I

Ignition test, assaying polyethylene oxidizability (Meltzer), *MR&S*, Sept., 729.

Ikenberry, L. C.: Determining weight and analysis of unalloyed and alloyed coating layers on hot-dipped aluminum-coated steel, *MR&S*, March, 177.
Illing, A. M.: Specular gloss of glazed ceramic tile, *MR&S*, Feb., 117.
Impact testing
base and weld deposits of stainless steels (DeSisto), 756.
Charpy, on AISI 4340 steel (Larson and Nunes), 1192, (discussion), 1206.
comparison of Charpy keyhole and V-notch impact test values (Foley), *MR&S*, Nov., 917.
cylindrical impact specimens (Fahey), 1089, (discussion), 1102.
fracture surface configurations of AISI 4340 steel, (Carr and Larson), 1210.
Impurities, effect of on some properties of lead-tin alloys (Heberlein), *STP 319*.
Index to X-ray powder data using punched cards (Matthews), *MR&S*, Aug., 643.
Indirect tension test, comparison of types of strengths of concrete (Grieb and Werner), 972, (discussion), 991.
Indium metal, spectrochemical analysis by dry powder-d-c arc technique, suggested method for, 537.
Industrial aromatic hydrocarbons. Report of Committee D-16, 463.
Industrial water, *see* Water, industrial.
Information retrieval, progress in "probitation" (Otis), *MR&S*, July, 573.
Infrared, molecular formula list of compounds, names, and references to published infrared spectra, *STP 331*.
Insulating materials, thermal. Report of Committee C-16, 361.
Insulation
dielectric breakdown of miniature specimens (Blanck and Holman), *MR&S*, Feb., 109. Report of Committee D-9, 417.
Interdisciplinarianism, sweet bird of (Burns), *MR&S*, Feb., 127.
Interlaboratory testing. Report of Committee E-11, 564.
Iridium, elevated-temperature properties of rhodium and ruthenium (Douglass and Jaffee), 627, (discussion), 638.
Iron and Steel
corrosion of iron, Report of Committee A-5, 168.
reactor structural materials: iron, carbon steel, and stainless steels (Anderson, et al), *STP 314*.
Irwin, G. R., (discussion), 905.

J

Jacobsen, A. E., Mitton, P. B., and Switzer, M. H.: Determination of hiding power of nonchromatic paints, *MR&S*, Dec., 1004.
Jaffee, R. I., *see* Douglass, R. W.
Jaffee, R. I., and Maykuth, D. J.: 1960's—the decade of the refractory metals, *MR&S*, May, 412.
Jellison, Jane, *see* Klier, E. P., et al.
Jennings, Charles W., (discussion), *STP 318*.
Johnson, A. R., (discussion), 906.
Johnson, C. R., *see* Cordovi, M. A.
Johnson, E. W., *see* Kaufman, J. G.
Joints, bearing strength, aluminum and magnesium alloys (Stickley and Moore), *MR&S*, Sept., 747.
Jones, E. O., Jr., *see* Maynor, H. W., Jr., et al.

K

Kalish, H. S.: (discussion), 638.
Kalish, H. S., and Litton, F. B.: Thermal expansion of stainless steel-UO_2 dispersion-type nuclear fuel plates, *MR&S*, Aug., 638.
Kaufman, J. G., (discussion), 943.
Kaufman, J. G., and Johnson, E. W.: Notch-yield ratio to evaluate notch sensitivity of aluminum alloy sheet, 778, (discussion), 791.
Kaufman, J. G., Lyst, J. O., and Miller, J. L.: Fatigue strengths of recrystallized and unrecrystallized heat-treated aluminum alloys, 742.
Kehoe, J. W.: Attaching electrical contacts, *MR&S*, April, 288.
Keller, J. D.: Printed wiring surface preparation methods; elimination of gold plating as surface preparation for printed circuits and development of contamination-free surface, *STP 319*.
Kellis, G. E., (discussion), *STP 321*.
Kendall, D. P., *see* Davidson, T. E.
Kenis, W. J., (discussion), 991.
Kennedy, R. G., (discussion), 682.
Kennedy, T. B., (discussions), 991, 1039.
Kenyon, J. N.: Fatigue properties of steel rope wire, *MR&S*, July, 553.
Kephart, A. R., *see* Anderson, W. K., et al.
Keyes, J. M.: Factors affecting quality of soft soldered joints in copper water tube, *STP 319*.
Keys, R. D., *see* Schwartzberg, F. R.
King, H. F., and Glassman, N.: Fleet experience with navy turbine oils—are specification methods significant?, *STP 321*.
Kingery, W. D.:
Review of stress-strain-time-temperature behavior of ceramics, *STP 325*.
(discussion), *STP 325*.
Klieger, Paul, (discussions), 1040, *MR&S*, Sept., 736.
Klier, E. P., Boras, George, and Jellison, Jane: Bend-test properties of 43XX-vanadium modified and 5 per cent chromium sheet steels, *MR&S*, Jan., 32.
Knapp, B. B., *see* Sample, C. H.
Knight, R. G., (discussion), *STP 321*.
Knittel, R. R.: Development of glass method for transparent plastic films, *MR&S*, March, 180.
Kofke, William A., *see* Dolby, George W.
Kondner, R. L.: Penetrometer study of in situ strength of clays, *MR&S*, March, 193.
Korbelak, A., (discussion), *STP 318*.
Kosowsky, Leo K., (discussion), *STP 318*.
Kosuge, H., *see* Takahashi, N.
Krohn, F. F. W., (discussion), 860.
Krueger, G. P.: Method for determining

modulus of rigidity of an adhesive in a timber joint, *MR&S*, June, 479.
Kuhn, Paul, (discussion), 859.
Kula, E. B., (discussion), *MR&S*, Jan., 20.
Kummer, H. W., (discussion), *STP 326*.
Kummer, H. W., and Meyer, W. E.: Measurement of skid resistance, *STP 326*.
Kuntze, R. A.: Determination of gypsum in calcium sulfate hemihydrate by differential thermal analysis, *MR&S*, Aug., 640.

L

Laboratories, independent, and ASTM (Siegel), *MR&S*, Oct., 841.
Lacquer. Report of Committee D-1, 375.
Ladd, J. C., and Allie, D. L.: Electroforming hardware for aerospace vehicles, *STP 318*.
Langenecker, B.: Work hardening of zinc crystals by high-amplitude utrasonic waves, 602.
Larson, Frank R., *see* Carr, Frank L.
Larson, Frank, R., and Nunes, John: Relationships between energy, fibrosity, and temperature in Charpy impact tests on AISI 4340 steel, 1192, (discussion), 1206.
Larson, T. D., *see* Pasko, T. J.
Lauver, D. C., (discussion), 862.
Lazan, B. J.:
Stress-strain-time relations for idealized materials *STP 325*.
(discussion), *STP 325*.
Lead
antiknock compounds in gasoline, *MR&S*, June, 494.
Report of Committee B-2, 207.
Leather. Report of ALCA-ASTM Joint Committee on, 506.
Lenel, F. V., (discussion), 651.
Lerch, William: Chemical resistance of asbestos-cement pipe, *MR&S*, Sept., 745.
Lightfoot, Edgar: Moment distribution—a rapid method of analysis for rigid-jointed structures, *MR&S*, June, 512.
Lime. Report of Committee C-7, 304.
Linear Relationships, ASTM manual on fitting straight lines, *STP 313*.
Liska, J. A., (discussion), *MR&S*, Sept., 737.
Lithium. Report of Committee B-2, 207.
Litton, F. B., *see* Kalish, H. S.
Locke, H. O., (discussion), *STP 325*.
Logan, H. L.: Specimen for use in investigating stress-corrosion cracking of metals at elevated temperatures, *MR&S*, Feb., 98.
Lorman, William R.:
Quality of freshly mixed concrete, 944, (discussion), 960.
(discussions), 991, 1006.
Low temperature
base and weld deposits of stainless steels (DeSisto), 756.
mechanical and physical properties of nonmetallic materials at cryogenic temperatures (Mowers), 794.
mechanical properties of alpha titanium alloy at cryogenic temperatures (Schwartzberg and Keys), 816.
mechanical properties of titanium and aluminum alloys at cryogenic temperatures (Hickey, Jr.), 765, (discussion), 777.
physical and mechanical properties of electroformed nickel at elevated and subzero temperatures (Sample and Knapp), *STP 318*.
Report on Joint ASTM-ASME Committee on Effect of Temperature on the Properties of Metals, 282.
Lowe, E. W. and Biehl, H. R.: Microstructure of bronze sinterings, *STP 323*.
Lowenheim, F. A., (discussion), *STP 318*.
Lubahn, J. D.:
Creep and recovery of zirconium-tin-columbium alloy, *STP 325*.
(discussion), *STP 325*.
Lubricants
changing requirements for turbine oils (Manley and Henrikson), *STP 321*.
determining functional life of turbine oils (Hall), *STP 321*.
engine test sequences for evaluating automotive lubricants for API Service MS, *STP 315*.
experience with enhanced load-carrying type turbine oils in Royal Canadian Navy (Grimsey and Whyte), *STP 321*.
fleet experience with navy turbine oils—are specification methods significant? (King and Glassman), *STP 321*.
problem areas in laboratory testing of turbine-type oils (Milz and Bunting), *STP 321*.
Report of Committee D-2, 383.
role of base oils and additives in modern-day turbine oils (Dolby and Kofke), *STP 321*.
rust inhibitors—evaluation and performance (von Fuchs), *STP 321*.
trace sediment in lubricating oils, D-2 *Comp.*, Vol. I, 1244.
vapor space inhibited steam turbine oils (Lurton et al), *STP 321*.
Ludley, J. H., *see* Rockey, K. C., et al.
Ludwigson, D. C., Roach, D. B., and Hall, A. M.: Rockwell B–Brinell hardness conversion for annealed austenitic stainless steel plate, *MR&S*, Aug., 651.
Lumm, J. A., (discussion), *MR&S*, Feb., 100.
Lurton, H. M., Rozalsky, I., and Seelbach, C. L.: Vapor space inhibited steam turbine oils, *STP 321*.
Lysaght, V. E., (discussion), 1087.
Lyst, J. O.:
Effects of stretching on fatigue strength of 2024-T4 aluminum alloy, *MR&S*, Sept., 751.
see also Kaufman, J. G., et al.
Lyst, J. O., and Babilon, C. F.: Detecting fatigue cracks in notched fatigue specimens by changes in electrical resistance, *MR&S*, June, 485.

M

Madden, G. I., Sponseller, D. L., and Bigelow, W. C.: Slip lines in precipitation-hardened nickel-base alloy, *STP 317*.
Magnesium
bearing strength (Stickley and Moore), *MR&S*, Sept., 747.

Magnesium (*continued*)
designations for codification of alloys (Appendix II), Report of Committee B-7, 263.
Report of Committee B-7, 249, 253.
Magnetic properties
Report of Committee A-6, 187.
Report of Committee B-4, 232.
Mahone, D. C.:
Pavement friction as measured by British portable tester and stopping-distance method, *MR&S*, March, 187.
Variation in highway slipperiness characteristics with location, *STP 326*.
Makky, S. M.: On fracture theory of surfaces of maximum shear, *MR&S*, Aug., 655.
Malhotra, V. M., (discussion), 960.
Malleable iron. Report of Committee A-7, 189.
Mandel, John, *see* Randall, E. B., Jr.
Manjoine, M., (discussion), *MR&S*, Jan., 31.
Manko, Howard H.: Mechanism of wetting during solder joint formation, *STP 319*.
Manley, L. W., (discussions), *STP 321*.
Manley, L. W., and Henrikson, K. G.: Changing requirements for turbine oils, *STP 321*.
Manning, C. R., Jr., *see* Heimerl, G. J.
Manning, R. D., Murphy, W. J., Nichols, H. J., and Caine, K. E.: Simulated service tests of steels for solid-propellant missile motor cases. In two parts: *MR&S*, May, 392; June, 469.
Manson, P. W., and Blair, L. R.: Sulfate resistance of asbestos-cement pipe, *MR&S*, Oct., 828.
Mantle, J. B., *see* George, R. E.
Marburg Lecture, Fatigue of metals in engineering and design (Peterson).*
Mark, Richard: Determining crosshead speed for given strain rate in testing cantilever beams, *MR&S*, May, 402.
Martin, T. P., *see* Zeolla, M. N., et al.
Martin, W. I., *see* Moult, R. H.
Masonry
manufactured units, Report of Committee C-15, 357.
mortar, Report of Committee C-12, 352.
Mass spectrometry. Report of Committee E-14, 569.
Mateos, Manuel, and Davidson, Donald T.: Steam curing and X-ray studies of fly ash, 1008, (discussion), 1015.
Materials and testing for the space age (Medaris) *MR&S*, Sept., 754.
Mather, Bryant, (discussions), 1015, 1038.
Mattek, L. J.: Correlation of radiographically observed flaws with tensile properties of stainless steel castings, *MR&S*, Aug., 633.
Matthews, F. W.: Coordinate index to X-ray powder diffraction data using punched cards, *MR&S*, Aug., 643.
Matthews index, new retrieval system for X-ray powder data, *MR&S*, Oct., 842.
Max, A. M.: Application of electroforming to manufacture of disk records, *STP 318*.
Maykuth, D. J., *see* Jaffee, R. I.
Maynor, H. W., Jr., Mueller, R. E., and Jones, E. O., Jr.: Fracture toughness of two high-strength sheet steels, 924, (discussion), 943.
Mayo, W. H., (discussion), 1153.
Mazzoni, R. J., *see* Zeolla, M. N., et al.
McKee, N. D., *see* Gabrysh, A. F., et al.
Mechanical properties of metals, model for (Stulen), *MR&S*, Feb., 102.
Medaris, J. B.: Materials and testing for the space age, *MR&S*, Sept., 754.
Melcon, M. A., (discussion), 857.
Melmoth, R. B., (discussion), 694.
Melton, C. W., *see* Young, A. P., et al.
Meltzer, T. H.: Round-robin testing of lead peroxide ignition method of assaying polyethylene oxidizability, *MR&S*, Sept., 729.
Metallography
development of electron microscopic methods for study of metals (Bigelow), *STP 317*.
direct observations on structure of ultramicrotomed metals and alloys (Phillips), *STP 317*.
direct transmission electron microscopy of zirconium (Young, et al), *STP 317*.
effect of surface finishing on development of θ' phase in aluminum—4 per cent copper alloy (Takahashi and Kosuge), *STP 317*.
electron transmission microscopy of metals, *STP 317*.
diffusion measurements in iron-nickel with electron probe microanalyzer (Ohh and Carroll), *STP 317*.
microstructure of bronze sinterings (Lowe and Biehl), *STP 323*.
nitride morphology in 12 per cent chromium steels (Banerjee, et al), *STP 317*.
Report of Committee E-4, 553.
study of microstructure of precipitation hardening stainless steel sheet (Wilkins and Pence), *STP 317*.
transmission electron microscopy of type 410 stainless steels (Capenos, et al), *STP 317*.
Metal adhesives. Report on Committee D-14, 456.
Metal powder. Report of Committee B-9, 274.
Metals and alloys
designations for codification, (Appendix II), Report of Committee B-7, 263.
die cast, Report of Committee B-6, 247.
light, cast and wrought, Report of Committee B-7, 249.
light, Report of Committee B-7, 249, recommendations affecting standards (Appendix I), 253.
model for mechanical properties of metals (Stulen), *MR&S*, Feb., 102.
nonferrous, Report of Committee B-2, 207.
see also under specific name of metal.
Methods of testing. Report of Committee E-1, 513.
Metric equivalents, conversion of weights and measures from British to metric system, F-1 *Comp.*, 375.
Metzger, W. H., Jr., (discussion), *STP 318*.
Meyer, W. E., *see* Kummer, H. W.
Miller, J. L., *see* Kaufman, J. G., et al.

Milz, W. C., and Bunting, J. T.: Problem areas in laboratory testing of turbine-type oils, *STP 321.*
Minnick, L. J., (discussion), 1015.
Missiles, service tests of steels for missile motor cases (Manning et al), *MR&S,* May, 392; June, 469.
Mitchell, N. B., Jr., (discussion), *MR&S,* March, 179.
Mittenbergs, A. A., and Beall, L. G., Jr.: Fatigue strength of pin-loaded lug joints, 710, (discussion), 733.
Mitton, P. B., *see* Jacobsen, A. E., et al.
Mix composition, estimating original of hardened concrete (Axon), 1068.
Model for mechanical properties of metals (Stulen), *MR&S,* Feb., 102.
Molds
  electroforming plastic, for automotive industry (Ritzenthaler), *STP 318.*
  replica epoxy (Schwenk), *STP 318.*
Molecular formula, list of compounds, names, and references to published infrared spectra, *STP 331.*
Molybdenum. Report of Committee B-2, 207.
Moore, A. A., *see* Stickley, G. W.
Morral, F. R., (discussion), *STP 318.*
Morrow, A. S., (discussion), *STP 321.*
Morrow, JoDean, *see* Halford, G. R.
Morse, S., *see* Durelli, A. J., et al.
Mortar
  chemical resistant, Report of Committee C-3, 300.
  masonry, Report of Committee C-12, 352.
Moult, R. H., and Martin, W. I.: Evaluation of H-test method for adhesion of tire cord to rubber, *MR&S,* Oct., 813.
Mowers, R. E.: Mechanical and physical properties of nonmetallic materials at cryogenic temperatures, 794.
Mueller, R. E., *see* Maynor, H. W., Jr., et al.
Murphy, R. B., (discussion), *MR&S,* March, 186.
Murphy, W. J., *see* Manning, R. D., et al.
Mylonas, C., *see* Rockey, K. C., et al.

N

Nelson, R. C., and Eberhard, W. S.: Flash-tension test for evaluating tungsten wire, *MR&S,* June, 475.
Newhouse, D. L.:
  (discussion), 1206.
  see also Boyle, C. J., et al.
Newlon, H. H., (discussion), *MR&S,* March, 179.
Nichols, H. J., *see* Manning, R. D., et al.
Nickel, physical and mechanical properties of electroformed, at elevated and subzero temperatures (Sample and Knapp), *STP 318.*
Nickel alloys
  oxide refractoriness in dispersion-strengthened copper and nickel alloys (Predecki and Grant), 639, (discussion), 650.
  reactor structural materials: nickel and cobalt alloys (Anderson, et al), *STP 314.*
  Report of Committee B-2, 207.
Nickel-base alloys, slip lines in precipitation-hardened (Madden, et al), *STP 317.*
Nickel-copper alloys, recrystallization, tensile, and stress rupture properties of (Blucher and grant), 593.
Nitric acid, corrosion of stainless steel in presence of concentrated nitric acid (Vialatte and Apert), *MR&S,* Feb., 111.
Nodular iron. Report of Committee A-3, 164.
Nondestructive testing, scientific application of particle accelerators (Burrill), *MR&S,* Jan., 9.
Nonferrous metal
  atmospheric exposure, Report of Committee B-3, 216.
  corrosion, Report of Committee B-3, 212.
Notch effect
  base and weld deposits of stainless steels (DeSisto), 756.
  Charpy impact tests on AISI 4340 steel (Larson and Nunes), 1192, (discussion), 1206.
  cold rolling and aging on sharp-notch properties of beta titanium sheet (Repko and Brown, Jr.), 869, (discussion), 878.
  fracture toughness of two high-strength sheet steels (Maynor, Jr., et al), 924, (discussion), 943.
  mechanical properties of alpha titanium alloy at cryogenic temperatures (Schwartzberg and Keys), 816.
  notch properties of 5 per cent Cr-Mo-V steel (Sliney, Jr.), 825.
  notch-yield ratio to evaluate notch sensitivity of aluminum alloy sheet (Kaufman and Johnson), 778, (discussion), 791.
  slow crack propagation in high-strength materials (Steigerwald and Hanna), 885, (discussion), 905.
  stress-relaxation of Cr-Mo-V steel heat treated to various sensitivities (Goldhoff and Barker), 1176.
Nuclear fuel plates, stainless steel-UO_2 dispersion-type, thermal expansion of (Kalish and Litton), *MR&S,* Aug., 638.
Nuclear reactors
  materials for (Cordovi and Johnson), *MR&S,* Dec., 1006.
  reactor structural materials: aluminum and titanium (Anderson, et al), *STP 314.*
  reactor structural materials: iron, carbon steel, and stainless steels (Anderson, et al), *STP 314.*
  reactor structural materials: nickel and cobalt alloys (Anderson, et al), *STP 314.*
  reactor structural materials: zirconium alloys (Anderson, et al), *STP 314.*
Nunes, John, *see* Larson, Frank, R.
Nussbaum, P. J., *see* Childs, L. D.

O

Oaks, A. E.: Chemical methods of salvaging improperly exposed X-ray films, *MR&S,* July, 557.
O'Berry, Marie Lyons (Mrs.), (discussion), *STP 318.*

Obertop, D. H. F.: Decrease of skid-resisting properties of wet road surfaces at high speeds, *STP 326*.
O'Flaherty, C. A., David, H. T., and Davidson, D. T.: Controlling data quality in soil stabilization studies, 1297.
Ohh, S., and Carroll, K. G.: Diffusion measurements in iron-nickel with electron probe microanalyzer, *STP 317*.
Oils, determination of total unsaturation (Spagnolo), *MR&S*, Nov., 899.
Oleson, C. C., (discussion), *MR&S*, Feb., 100.
Oliensis, G. L.: Exposure tests of asphalts: summary of 25 years' experience, 1264.
Otis, M. V.: Progress in "probitation," *MR&S*, July, 573.
Ourlian, Jerry, (discussion), *STP 321*.
Oxidation, effect of temperature and humidity on air-blown asphalts (Campbell, et al) *MR&S*, Dec., 988.
Oxides, refractoriness in dispersion-strengthened copper and nickel alloys (Predecki and Grant), 639, (discussion), 650.
Oxidizability, of polyethylene (Meltzer), *MR&S*, Sept., 729.

P

Packaging
  Report of Committee D-10, 425.
  Report of Committee F-2, 588.
Paint. Report of Committee D-1, 375.
Pakkala, M. H., (discussion), 1153.
Paper and paper products
  Report of Committee D-6, 407.
  statistical comparison of wearing characteristics of two types of dollar notes (Randall, Jr., and Mandel), *MR&S*, Jan., 17.
Parks, V., *see* Durelli, A. J., et al.
Particle accelerators, scientific application to nondestructive testing (Burrill), *MR&S*, Jan., 9.
Paschkis, V., (discussion), 1154.
Pasko, T. J., and Larson, T. D.: Statistical analysis of strength and durability of fly ash concrete, 1054.
Patterson, D., Jr., and Winn, E. B.: A new tester for puncture and tear resistance, *MR&S*, May, 396.
Paving, *see* Road and paving.
Pelanne, C. M., and Bradley, C. B.: Rapid heat-flow meter thermal-conductivity apparatus, *MR&S*, July, 549.
Pence, R. E., *see* Wilkins, James C.
Pendleberry, S. L., *see* Yen, C. S.
Penetrometer, study of in situ strength of clays (Kondner), *MR&S*, March, 193.
Peper, Henry, *see* Schwartz, Anthony M., et al.
Peterson, R. E.: Fatigue of metals in engineering and design (Marburg Lecture).*
Petroleum products
  Report of Committee D-2, 383.
  see also Proposed petroleum products methods.
Pfeiffenberger, L. E., (discussion), *MR&S*, March, 179.
Philleo, R. E., (discussions), 1006, *MR&S*, Feb., 101.
Phillips, V. A.: Direct observations on structure of ultramicrotomed metals and alloys, *STP 317*.
Phosphorus, effect of on aging behavior of wrought nickel-tin bronze (Badia), 665.
Photomicrography, 35-mm (Stumbo), *MR&S*, April, 282.
Pinned joints
  bearing strengths of aluminum and magnesium alloys (Stickley and Moore), *MR&S*, Sept., 747.
  fatigue strength of pin-loaded lug joints (Mittenbergs and Beall, Jr.), 710, (discussion), 733.
Pipe
  clay, Report of Committee C-4, 303.
  concrete, Report of Committee C-13, 354.
Pirtz, David: Improved adiabatic calorimeter for concrete, *MR&S*, Jan., 22.
Plaster, gypsum in calcium sulfate hemihydrate by differential thermal analysis (Kuntze), *MR&S*, Aug., 640.
Plastic adhesives. Report of Committee D-14, 457.
Plasticity, biaxial testing machine (Findley and Gjelsvik), 1103, (discussion), 1119.
Plastics
  effect of cooling rate on polyethylene density (Everett), *MR&S*, April, 278.
  gloss method for transparent plastic films (Knittel), *MR&S*, March, 180.
  glue for concrete repair (Wakeman, et al), *MR&S*, Feb., 93.
  lead peroxide ignition method of assaying polyethylene oxidizability (Meltzer), *MR&S*, Sept., 729.
  mechanical and physical properties of nonmetallic materials at cryogenic temperatures (Mowers), 794
  Report of Committee D-20, 480.
  stress-strain-time-temperature relationships for polymers (Smith), *STP 325*.
Platings, effect of ductile skins on brittle substrates (Whiteman and Baldwin, Jr.), 610.
Polyethylene
  effect of cooling rate on density (Everett), *MR&S*, April, 278.
  lead peroxide ignition method of assyaing oxidizability (Meltzer), *MR&S*, Sept., 729.
Polymers, stress-strain-time-temperature relationships for (Smith), *STP 325*.
Pope, C. L., (discussion), *STP 321*.
Porcelain enamel. Report of Committee C-22, 371.
Portland cement, *see* Cement.
Powder metallurgy
  microstructure of bronze sinterings (Lowe and Biehl), *STP 323*.
  strength of sintered iron powder (Geijer), *MR&S*, Feb., 124.
Precision
  of Committee D-19 methods, determination of, D-19 *Comp.*, 203.
  quality of observations (discussion), *MR&S*, March, 186.

Predecki, Pawel, and Grant, Nicholas J.:
Oxide refractoriness in dispersion-strengthened copper and nickel alloys, 639, (discussion), 650.
Pressure vessels
simulated service tests for missile motor cases (Manning, et al), *MR&S*, May, 392; June, 469.
studying configurations under high pressures and loading rates (Davidson and Kendall), *MR&S*, July, 562.
Primary soil deposition, bibliography and abstracts on, *STP 316*.
Printed circuits, printed wiring surface preparation methods, (Keller), *STP 319*.
"Probitation," progress in (Otis), *MR&S*, July, 573.
Proposed bituminous materials methods
aging index of, D-8 *Comp.*, 547.
Proposed coal and coke methods
mechanical sampling of coal, D-5 *Comp.*, 177.
Proposed electron tube methods
conversion of weights and measures from British to metric system, F-1 *Comp.*, 375.
Proposed emission spectroscopy methods
copper-base alloys, 529.
indium metal, 537.
Proposed industrial aromatic hydrocarbons methods
carbon disulfide in benzene, D-16 *Comp.*, 208.
Proposed industrial water methods
precision of Committee D-19 methods, D-19 *Comp.*, 203.
Proposed petroleum products methods
acetylene in high-purity ethylene (silver nitrate method), D-2 *Comp.*, Vol. I, 1224.
active chlorine content of cutting fluids, D-2 *Comp.*, Vol. I, 1207.
analysis of isoprene by gas chromatography, D-2 *Comp.*, Vol. I, 1231.
carbon dioxide in high-purity ethylene, D-2 *Comp.*, Vol. I, 1234.
cleanliness of aviation fuels by visual rating, D-2 *Comp.*, Vol. I, 1238.
determination of solid point of aviation turbine fuels, D-2 *Comp.*, Vol. I, 1265.
estimation of net heat of combustion, D-2 *Comp.*, Vol. I, 1247.
ethylene, other hydrocarbons and hydrogen in high-purity ethylene, D-2 *Comp.*, Vol. I, 1227.
oxygen, nitrogen, and carbon monoxide by gas chromatography, determination of, D-2 *Comp.*, Vol. I, 1221.
particulate matter in aviation turbine fuels, test for, D-2 *Comp.*, Vol. I, 1240.
propylene concentrate by gas chromatography, D-2 *Comp.*, Vol. I, 1218.
residue in liquefied petroleum (LP) gases, D-2 *Comp.*, Vol. I, 1260.
trace sediment in lubricating oils, D-2 *Comp.*, Vol. I, 1244.
traces of volatile chlorides in butane-butene mixtures, D-2 *Comp.*, Vol. I, 1209.
Proposed soaps and detergents methods
analysis of sodium triphosphate, 437.
drycleaning detergent, 435.
Protein materials. Report of Committee D-25, 497.
Proudley, C. E., (discussion), 991.
Psychophysical testing. Report of Committee E-18, 581.
Puhr, F., (discussion), 1154.
Pumpability, concrete mixtures (Gray), 964.
Punched cards, index to X-ray powder diffraction data (Matthews), *MR&S*, Aug., 643.
Puncture, tester for puncture resistance (Patterson, Jr., and Winn), *MR&S*, May, 396.
Purity, ultrapure materials (Franklin), *MR&S*, March, 204.

Q

Quality control. Report of Committee E-11, 564.

R

Radiation
radon emanation from carbonate rocks (Gabrysh, et al), *MR&S*, April, 265.
Report of Committee E-10, 562.
scientific application of particle accelerators to nondestructive testing (Burrill), *MR&S*, Jan., 9.
space, *STP 330*.
Radiation effects
methods of investigation, *STP 330*.
on materials, *STP 330*.
reactor structural materials: aluminum and titanium (Anderson, et al), *STP 314*.
reactor structural materials: iron, carbon steel, and stainless steels (Anderson, et al), *STP 314*.
reactor structural materials: nickel and cobalt alloys (Anderson, et al), *STP 314*.
reactor structural materials: zirconium alloys (Anderson, et al), *STP 314*.
Radiography, correlation of flaws with tensile properties of stainless steel castings (Mattek), *MR&S*, Aug., 633.
Radioisotopes. Report of Committee E-10, 562.
Randall, E. B., Jr., and Mandel, John:
Statistical comparison of wearing characteristics of two types of dollar notes, *MR&S*, Jan., 17.
Random stresses, simulation of fatigue effects (Schjelderup and Galef), *MR&S*, Oct., 836.
Rate sensitivity, measurement and significance (Supnik), *MR&S*, June, 498.
Razelos, P., (discussion), 1154.
Read, Harold J., (discussion), *STP 318*.
Records, application of electroforming to manufacture of disk records (Max), *STP 318*.
Recrystallization, tensile, and stress rupture properties of nickel-copper alloys (Blucher and Grant), 593.
Reehl, E. A., (discussion), *STP 321*.
Reen, O. W., *see* Roessing, K. W.
Refractories. Report of Committee C-8, 306.
Refractory metals,
apparatus for mechanical testing above 2000 F (Fisher, et al), *MR&S*, Jan., 26.

Refractory metals (*continued*)
1960's—the decade of the refractory metals (Jaffee and Maykuth), *MR&S*, May, 412.
Relaxation, biaxial testing machine (Findley and Gjelsvik), 1103, (discussion), 1119.
Repko, A. J., and Brown, W. F., Jr: Influence of cold rolling and aging on sharp-notch properties of beta titanium sheet, 869, (discussion), 878.
Replicas, technique for removing plastic backing films in preparation of electron microscope specimens (Beals and Bigelow), *STP 317*.
Resin emulsion, vinyl acetate adhesive specification, Report of Committee D-14, 458.
Reversed bend test, determination of exhaustion of extensional ductility (Rockey, et al), 1120, (discussion), 1134.
Rheology
applied to portland-cement concrete (Bletzacker), 996, (discussion), 1006.
review of stress-strain-time-temperature behavior of ceramics (Kingery), *STP 325*.
stress-strain-time relations for idealized materials (Lazan), *STP 325*.
stress-strain-time-temperature relations in metallic materials (Smith), *STP 325*.
stress-strain-time-temperature relationships for polymers (Smith), *STP 325*.
Rhodium, elevated-temperature properties of iridium and ruthenium (Douglass and Jaffee), 627, (discussion), 638.
Rigidity, of adhesives in timber joint (Krueger), *MR&S*, June, 479.
Ripling, E. J., (discussion), 863.
Ritzenthaler, Phil J.: Electroforming plastic molds for automotive industry, *STP 318*.
Roach, D. B.: *see* Ludwigson, D. C., et al.
Road and paving. Report of Committee D-4, 399.
Rock, radon emanation from carbonate rocks (Gabrysh, et al), *MR&S*, April, 265.
Rockey, K. C., Ludley, J. H., and Mylonas, C.: Exhaustion of extensional ductility determined by reversed bending of five steels, 1120, (discussion), 1134.
Roessing, K. W., and Reen, O. W.: Establishing cemented carbide hardness calibrating blocks, 1081, (discussion), 1087.
Roofing. Report of Committee D-8, 415.
Roth, F. L., *see* Stiehler, R. D.
Rotors, development of large turbine and generator (Boyle, et al), 1156.
Rozalsky, I., *see* Lurton, H. M., et al.
Rubber
adhesion of tire cord to (Moult and Martin), *MR&S*, Oct., 813.
Report of Committee D-11, 427.
standard and microtests for international rubber hardness (Stiehler and Roth), *MR&S*, May, 388.
Rust inhibitors
evaluation and performance (von Fuchs), *STP 321*.
vapor space inhibited steam turbine oils (Lurton, et al), *STP 321*.
Ruthenium, elevated-temperature properties of rhodium and iridium (Douglass and Jaffee), 627, (discussion), 638.

S

Sabey, B. E., *see* Giles, C. G., et al.
Safranek, W. H.: Physical and mechanical properties of electroformed copper, *STP 318*.
Salmen, W. J., and Gobble, L. P.: Tensile properties of beryllium from room temperature to 1600 F, 653.
Salt spray (fog) testing. Report of Committee B-3, 212.
Saltonstall, R. B., (discussion), *STP 318*.
Sample, C. H., and Knapp, B. B.: Physical and mechanical properties of electroformed nickel at elevated and suzbero temperatures, *STP 318*.
Sampling, mechanical, of coal, D-8 *Comp.*, 177.
Sandwich, structural construction. Report of Committee C-19, 368.
Saubestre, E. B., (discussion), *STP 318*.
Savage, F. K., and Bommerscheim, C. H.: Electroforming supersonic pitot-static tubes, *STP 318*.
Schjelderup, H. C., and Galef, A. E.: Simulation of fatigue effects of random stresses, *MR&S*, Oct., 836.
Schulze, K.-H., and Beckmann, L.: Friction properties of pavements at different speeds, *STP 326*.
Schwartz, Anthony M., Beech, Julian, and Peper, Henry: Bibliography and abstracts on primary soil deposition, *STP 316*.
Schwartz, C. M.
Introduction, *STP 317*.
see also Young, A. P., et al.
Schwartzberg, F. R., and Keys, R. D.: Mechanical properties of alpha titanium alloy at cryogenic temperatures, 816.
Schwenk, M. F.: Replica epoxy molds, *STP 318*.
Scribner, B. F., *see* Meggers, W. F., et al.
Sealants
glazing, for architectural applications (Zeolla, et al), *MR&S*, Oct., 809.
joint, Report of Committee C-24, 373.
Sediment, density measurement by gamma ray scattering (Timblin), *MR&S*, July, 566.
Seelbach, C. L., *see* Lurton, H. M., et al.
Semiconductors. Report of Committee F-1, 584.
Sensory evaluation, Report of Committee E-18, 581.
Sessler, J. G., (discussion), 791.
Sheet materials, bend-test properties of 43XX-vanadium modified and 5 per cent chromium sheet steels (Klier, et al), *MR&S*, Jan., 32.
Shepheard, R. G., and Donachie, M. J., Jr.: Creep-rupture behavior of 1¼Cr-½Mo steel weldments, *MR&S*, April, 275.
Shipping containers. Report of Committee D-10, 425.
Siegal, A. M.: Independent laboratory and ASTM, *MR&S*, Oct., 841.
Silverstone, Paul C.: Electroforming of venturi-type nozzles for wind tunnels and other applications, *STP 318*.

Simminger, K. E., (discussion), *STP 321.*
Sintering
microstructure of bronze sinterings (Lowe and Biehl), *STP 323.*
oxide refractoriness in dispersion-strengthened copper and nickel alloys (Predecki and Grant), 639, (discussion), 650.
strength of iron powder (Geijer), *MR&S*, Feb., 124.
Skid resistance
decrease of skid-resisting properties of wet road surfaces at high speeds (Obertop), *STP 326.*
development and performance of portable skid-resistance tester (Giles, et al), *STP 326.*
friction properties of pavements at different speeds (Schulze and Beckman), *STP 326.*
measurement of (Kummer and Meyer), *STP 326.*
minimization of variables in equipment and techniques for performing skid trailer tests (Goodwin and Whitehurst), *STP 326.*
pavement friction (Mahone), *MR&S*, March, 187.
Report of Committee E-17, 580.
variation of highway slipperiness characteristics with location (Mahone), *STP 326.*
Sliney, Joseph, Jr.: Notch properties of 5 per cent Cr-Mo-V steel sheet affected by heat treatment, test temperature, and thickness, 825.
Slip lines, precipitation-hardened nickel-base alloy (Madden, et al), *STP 317.*
Smith, C. R., (discussions), 681, 733, *MR&S*, Jan. 31.
Smith, G. V.: Stress-strain-time-temperature relations in metallic materials (discussion), *STP 325.*
Smith, K. R.: Electroforming: current and future requirements of our aerospace industry, *STP 318.*
Smith, Thor L.:
Stress-strain-time-temperature relationships for polymers, *STP 325.*
(discussion), *STP 325.*
Snowden, K. U., (discussion), 681.
Soaps and detergents. Report of Committee D-12, 432; drycleaning detergent, 435; analysis of sodium triphosphate, 437.
Soil-aggregates, evaluating geometric characteristics of coarse aggregate particles (Huang), 1223.
Soiling and cleaning, bibliography and abstracts on primary soil deposition, *STP 316.*
Soils
data quality in stabilization studies (O'Flaherty, et al), 1297.
density measurement of saturated submersed sediment by gamma ray scattering (Timblin), *MR&S*, July, 566.
penetrometer study of in situ strength of clays (Kondner), *MR&S*, March, 193.
pressures at foundation soil interfaces (Childs and Nussbaum), 1243, (discussion), 1263.
Report of Committee D-18, 467.
Soldering
effect of impurities on some properties of lead-tin alloys (Heberlein), *STP 319.*
embrittlement of solder by gold from plated surfaces (Foster), *STP 319.*
factors affecting quality of soft soldered joints in copper water tube (Keyes), *STP 319.*
mechanism of wetting during solder joint formation (Manko), *STP 319.*
printed wiring surface preparation methods (Keller), *STP 319.*
Report of Committee B-2, 207.
tin transformation of tinned copper wire (Spergel), *STP 319.*
Solidification, soundness prediction for large steel ingots (Fischer), 1137, (discussion), 1153.
Solvents, halogenated organic, Report of Committee D-26, 498.
Soundness, solidification prediction for large steel ingots (Fischer), 1137, (discussion), 1153.
Space
environment, *STP 330.*
materials and testing for the space age (Medaris), *MR&S*, Sept., 754.
new environment for materials (Colner), *MR&S*, Aug., 656.
radiation, *STP 330.*
Spagnolo, Frank: Determination of total unsaturation of oils and fatty acids, *MR&S*, Nov., 899.
Spectrochemical analysis
copper-base alloys by powder-d-c arc technique, suggested method for, 529.
indium metal by dry powder-d-c arc technique, suggested method for, 537.
Spectroscopy, molecular formula list of compounds, names, and references to published infrared spectra, *STP 331.*
Spergel, Jack: Tin transformation of tinned copper wire, *STP 319.*
Spinner, Sam, (discussion), *MR&S*, March, 179.
Sponseller, D. L., *see* Madden, G. I., et al.
Sprague, J. C., (discussion), *MR&S*, Feb., 100.
Springs, J. D., (discussions), *STP 321.*
Squitero, A. D., (discussion), *STP 318.*
Srawley, J. E.: Small fatigue cracks as fracture origins in tests of high-strength steel sheet, 734.
Stability, of chlorinated insulating liquids (Byrne and Guardipee), *MR&S*, Oct., 825.
Stainless steels
annealed austenitic plate, Rockwell B–Brinell conversion (Ludwigson, et al), *MR&S*, Aug., 651.
base and weld deposits of, (DeSisto), 756.
correlation of flaws with tensile properties in castings (Mattek), *MR&S*, Aug., 633.
corrosion in presence of concentrated nitric acid (Vialatte and Apert), *MR&S*, Feb., 111.
nitride morphology in 12 per cent chromium steels (Banerjee, et al), *STP 317.*
specimen for investigating stress-corrosion cracking at elevated temperatures (Logan), *MR&S*, Feb., 98.

Stainless steels (*continued*)
study of microstructure of precipitation hardening sheet (Wilkins and Pence), *STP 317*.
thermal expansion of stainless steel-UO_2 dispersion-type nuclear fuel plates (Kalish and Litton), *MR&S*, Aug., 638.
transmission electron microscopy of type 410 (Capenos, et al), *STP 317*.
Statistical analysis. Report of Committee E-11, 564.
Statistical methods
ASTM manual on fitting straight lines, *STP 313*.
comparison of wearing characteristics of two types of dollar notes (Randall, Jr., and Mandel), *MR&S*, Jan., 17.
data quality in soil stabilization studies (O'Flaherty, et al), 1297.
quality of observations, (discussion), *MR&S*, March, 186.
Steel
5 Cr-Mo-V, notch properties of (Sliney, Jr.), 825.
basic oxygen steelmaking process, *MR&S*, March, 206.
Charpy impact tests on AISI 4340 (Larson and Nunes), 1192, (discussion), 1206.
corrosion of, Report of Committee A-5, 168.
exhaustion of extensional ductility determined by reversed bending of five steels (Rockey, et al), 1120, (discussion), 1134.
fracture surface configurations of AISI 4340 (Carr and Larson), 1210.
fracture toughness of two high-strength sheet steels (Maynor, Jr. et al), 924, (discussion), 943.
ingots, solidification and soundness prediction for large (Fischer), 1137, (discussion), 1153.
NASA sheet alloy screening program for Mach 3 transport skins (Espey, et al), 837, (discussion), 857.
Report of Committee A-1, 140.
Recommendations affecting standards, 146.
Report of Committee A-10, 199.
simulated service tests for missile motor cases (Manning, et al), *MR&S*, May, 392; June, 469.
stress-relaxation of Cr-Mo-V steel heat treated to various notch sensitivities (Goldhoff and Barker), 1176.
weight and analysis of coating layers on hot-dipped aluminum-coated steel (Ikenberry), *MR&S*, March, 177.
weldments, creep-rupture (Shepheard and Donachie, Jr.), *MR&S*, April, 275.
Steigerwald, E. A., and Hanna, G. L.: Slow crack propagation in high-strength materials, initiation of, 885, (discussion), 905.
Stephenson, W. B., Jr., (discussion), *STP 318*.
Stickley, G. W., and Moore, A. A.: Effects of lubrication and pin surface on bearing strength of aluminum and magnesium alloys, *MR&S*, Sept., 747.
Stiehler, R. D., and Roth, F. L.: Comparison of standard and microtests for international rubber hardness, *MR&S*, May, 388.
Stones, *see* Building stones, natural.
Stover, H. E., *see* Wakeman, C. M., et al.
Straight lines, ASTM manual on fitting, *STP 313*.
Strain rate, measurement and significance (Supnik), *MR&S*, June, 498.
Stress analysis, in aluminum alloys (Eggebraaten and Eisner), *MR&S*, Nov., 907.
Stress-corrosion cracking, of metals at elevated temperature (Logan), *MR&S*, Feb., 98.
Stress-relaxation Cr-Mo-V steel heat treated to various notch sensitivities (Goldhoff and Barker), 1176.
Stress-rupture, recrystallization, tensile and stress rupture properties of nickel-copper alloys (Blucher and Grant), 593.
Stress-strain-time-temperature
relations in metallic materials (Smith) (discussion), *STP 325*.
relationships for polymers (Smith) (discussion), *STP 325*.
review of behavior of ceramics (Kingery) (discussion), *STP 325*.
stress-strain-time relations for idealized materials (Lazan) (discussion), *STP 325*.
Stulen, F. B.: Model for mechanical properties of metals, *MR&S*, Feb., 102.
Stumbo, D. A.: Photometric determination of exposure in 35-mm photomicrography, *MR&S*, April, 282.
Suggested methods, *see* Proposed methods.
Sulfate resistance, of asbestos-cement pipe (Manson and Blair), *MR&S*, Oct., 828.
Supersonic transport, NASA sheet alloy screening program for Mach 3 transport skins (Espey, et al), 837, (discussion), 857.
Supnik, R. H.: Rate sensitivity, its measurement and significance, *MR&S*, June, 498.
Sward, G. G., *see* Gardner, H. A.
Switzer, M. H., *see* Jacobsen, A. E., et al.

T

Takahashi, N., and Kosuge, H.: Effect of surface finishing on development of θ' phase in aluminum-4 per cent copper alloy, *STP 317*.
Tantalum. Report of Committee B-2, 207.
Tear, tester for resistance (Patterson, Jr., and Winn), *MR&S*, May, 396.
Temperature effect. Report of Joint ASTM-ASME Committee on Effect of Temperature on the Properties of Metals, 282.
Temperature measurement
improved adiabatic calorimeter for concrete (Pirtz), *MR&S*, Jan., 22.
spring-loaded thermocouple probes under transient conditions (Hahn), *MR&S*, May, 403.
Tensile properties
beryllium from room temperature to 1600 F (Salmen and Gobble), 653.
correlation with flaws in stainless steel castings (Mattek), *MR&S*, Aug., 633.
Tensile strength, of brittle materials, theta specimen for determining (Durelli, et al), *MR&S*, Feb., 114.

Tension testing
apparatus for testing above 2000 F (Fisher, et al), *MR&S*, Jan., 26.
concrete (discussion), *MR&S*, March, 179.
elongation in sheet tension specimens (discussion), *MR&S*, Jan., 20.
high-speed pneumatic machine (Heimerl and Manning), *MR&S*, April, 270.
Testing, methods of. Report of Committee E-1, 513.
Textile materials
Report of Committee D-13, 442.
Recommendations affecting standards, 445.
Theilacker, J. S., *see* Anderson, W. K., et al.
Thermal analysis, determination of gypsum in calcium sulfate hemihydrate (Kuntze), *MR&S*, Aug., 640.
Thermal conductivity, heat-flow meter apparatus (Pelanne and Bradley), *MR&S*, July, 549.
Thermal expansion, stainless steel-UO_2 dispersion-type nuclear fuel plates (Kalish and Litton), *MR&S*, Aug., 638.
Thermal insulation, *see* Insulation.
Thermocouples, spring-loaded probes under transient conditions (Hahn), *MR&S*, May, 403.
Thermometers. Report of Committee E-1, 513.
Thermostat metals. Report of Committee B-4, 232.
Thorburn, H. J.: Flooring damage by heels, *MR&S*, Sept., 734.
Tile, glazed ceramic, specular gloss of (Illing), *MR&S*, Feb., 117.
Timblin, L. O., Jr.: Density measurement of saturated submersed sediment by gamma ray scattering, *MR&S*, July, 566.
Tin
Report of Committee B-2, 207.
transformation of tinned copper wire (Spergel), *STP 319*.
Tire cord, adhesion to rubber (Moult and Martin), *MR&S*, Oct., 813.
Titanium. Report of Committee B-2, 207.
Titanium alloys
effect of cold rolling and aging on sharp-notch properties of beta titanium sheet (Repko and Brown, Jr.), 869, (discussion), 878.
mechanical properties of alpha, at cryogenic temperatures (Schwartzberg and Keys), 816.
mechanical properties of titanium and aluminum alloys at cryogenic temperatures (Hickey, Jr.), 765, (discussion), 777.
reactor structural materials: aluminum and titanium (Anderson, et al), *STP 314*.
Transformer oil. Report of Committee D-27, 500.
Transition temperature, shear lip and fracture toughness, geometry effect on (Bluhm), 914.
Tubing, factors affecting quality of soft soldered joints in copper water tube (Keyes), *STP 319*.
Tuler, F. R., (discussion), 708.
Tungsten, flash-tension test for evaluating tungsten wire (Nelson and Eberhard), *MR&S*, June, 475.
Turbine oils
changing requirements for (Manley and Henrikson), *STP 321*.
determining functional life of (Hall), *STP 321*.
experience with enhanced load-carrying type in Royal Canadian Navy (Grimsey and Whyte), *STP 321*.
fleet experience with navy turbine oils—are specification methods significant? (King and Glassman), *STP 321*.
problem areas in laboratory testing of turbine-type oils (Milz and Bunting), *STP 321*.
role of base oils and additives in odern-day (Dolby and Kofke), *STP 321*.
rust inhibitors, evaluation and performance (von Fuchs), *STP 321*.
vapor space inhibited steam turbine oils (Lurton, et al), *STP 321*.
Turbine rotors, development of large generator rotors (Boyle et al), 1156.
Turns, E. W., *see* Browning, Myron E.

U

Ultrasonics, work hardening of zinc crystals by high-amplitude waves (Langenecker), 602.
Units, manufactured masonry. Report of Committee C-15, 357.
Unsaturation, of oils and fatty acids (Spagnolo), *MR&S*, Nov., 899.
Uranium dioxide, thermal expansion of stainless steel-UO_2 (Kalish and Litton), *MR&S*, Aug., 638.

V

Vacuum tubes. Report of Committee F-1, 584.
Vanadium steel, bend-test properties of 43XX-vanadium modified and 5 per cent chromium sheet steels (Klier, et al), *MR&S*, Jan., 32.
Varnish. Report of Committee D-1, 375.
Vialatte, M. M., and Apert, C. E.: Corrosion of stainless steel in presence of concentrated nitric acid, *MR&S*, Feb., 111.
von Fuchs, George, H.:
Rust inhibitors, evaluation and performance, *STP 321*.
(discussions), *STP 321*.

W

Wakeman, C. M., Stover, H. E., and Blye, E. N.: Glue! for concrete repair, *MR&S*, Feb., 93.
Water
precision of Committee D-19 methods, determination of, D-19, *Comp.*, 203.
industrial, Report of Committee D-19, 474.
Waterproofing. Report of Committee D-8, 415.
Watson, J. F., (discussion), 792.
Wax. Report of Committee D-2, 383.
Wear, comparison of characteristics of two types of dollar notes (Randall, Jr., and Mandel), *MR&S*, Jan., 17.
Weaver, James H., (discussion), *STP 318*.
Webber, A. C., Introduction, *STP 325*.
Weibull distribution function for fatigue life, *MR&S*, May, 405.

Weismantel, E. E., (discussion), *MR&S*, Jan., 20.
Welding, attaching electrical contacts (Kehoe), *MR&S*, April, 288.
Weldments, creep rupture, steel (Shepheard and Donachie, Jr.), *MR&S*, April, 275.
Werner, George, *see* Grieb, W. E.
Wetting, mechanism of, during solder joint formation (Manko), *STP 319*.
Whirl, S. F., (discussion), *STP 321*.
White, J. J., (discussion), *MR&S*, Feb., 97.
White, P. R.: Introduction, *STP 319*.
Whitehurst, E. A., *see* Goodwin, W. A.
Whiteman, M. B., and Baldwin, W. M., Jr.: Effect of ductile skins on brittle substrates, 610.
Whitton, R. M.: Highway progress and problems, *MR&S*, Oct., 838.
Whyte, R. B.:
(discussion), *STP 321*.
see also Grimsey, R. G.
Wilkins, James C., and Pence, R. E.: Study of microstructure of precipitation hardening stainless steel sheet, *STP 317*.
Winn, E. B., *see* Patterson, D., Jr.
Wire
atmospheric corrosion tests (Appendix I), Report of Committee A-5, 171.
fatigue of steel rope wire (Kenyon), *MR&S*, July, 553.
flash-tension test for evaluating tungsten wire (Nelson and Eberhard), *MR&S*, June, 475.
Wood
compressive strength parallel to surface of wood composition boards (Clouser), *MR&S*, Dec., 996.
Report of Committee D-7, 409.
Wood Adhesives. Report of Committee D-14, 456.
Wool. Report of Committee D-13, 442; Recommendations affecting standards, 445.
Woolf, D. O., (discussion), *MR&S*, Feb., 97.
Work hardening, of zinc crystals by high-amplitude ultrasonic waves (Langenecker), 602.
Wright, J. R., *see* Campbell, P. C., et al; *and also* Greenfield, S. H.

X

X-ray analysis, classified bibliography on electron probe X-ray microanalysis (Banerjee), *STP 317*.
X-ray diffraction, electron probe microanalyzer (Heise), *STP 317*.
X-ray films, chemical methods of salvaging exposed films (Oaks), *MR&S*, July, 557.
X-ray powder data
index using punched cards (Matthews), *MR&S*, Aug., 643.
new retrieval system, *MR&S*, Oct., 842.

Y

Yen, C. S.: Propagation of cracks, (discussion), *MR&S*, July, 571.
Yen, C. S., and Pendleberry, S. L.: Technique for making shallow cracks in sheet metals, *MR&S*, Nov., 913.
Young, A. P., Melton, C. W., and Schwartz, C. M.: Direct transmission electron microscopy of zirconium, *STP 317*.
Young, John P., (discussion), *STP 318*.

Z

Zeldis, Leon: Standardization in Chile, *MR&S*, May, 416.
Zeolla, M. N., Mazzoni, R. J., and Martin, T. P.: Accelerated and service tests of glazing sealants, *MR&S*, Oct., 809.
Zinc
Report of Committee B-2, 207.
work hardening of crystals by high-amplitude ultrasonic waves (Langenecker), 602.
Zinc-base alloy, die castings, Report of Committee B-6, 247.
Zirconium
creep and recovery of zirconium-tin-columbium alloy (Lubahn), *STP 325*.
direct transmission electron microscopy (Young, et al), *STP 317*.
Report of Committee B-2, 207.
Zirconium alloys
reactor structural materials: zirconium alloys (Anderson, et al), *STP 314*.
Zoldners, N. G., (discussion), 960.